

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU	BATCH #	NR: Not Reported NA: Not Available
PRODUCT NAME	SERVING SIZE	LOQ: Limit Of Quantitation LOD: Limit Of Detection
LABORATORY: COLUMBIA LABORATORIES	OREGON ACCREDITATION: OR100028	1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	mg/serving	mg/g	N/A
Total THC (d9-THC, THCA)	mg/serving	mg/g	3 mg/g
Cannabigerol (CBG)	mg/serving	mg/g	N/A
Cannabinol (CBN)	mg/serving	mg/g	N/A
Cannabichromene (CBC)	mg/serving	mg/g	N/A
Tetrahydrocannabinolic Acid (THCA)	mg/serving	mg/g	N/A
Delta-9-THC (d9-THC)	mg/serving	mg/g	N/A
Delta-8-THC (d8-THC)	mg/serving	mg/g	N/A

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	μg/serving	µg/g	10 μg/day ^[1]
Cadmium	μg/serving	µg/g	4.1 µg/day ^[1]
Lead	μg/serving	μg/g	3.5 µg/day ^[2]
Mercury	μg/serving	µg/g	2 μg/day ^[1]

PESTICIDES	REGULATORY ACTION LEVEL
None of the 59 pesticides tested found above limit of detection in the sample.	10 ppb [1]

RESIDUAL SOLVENTS

Active ingredient of Ethanol in this product.

MICROBIAL	PASS/FAIL	
Yeast & Mold	Pass	
Coliform	Pass	
Water Activity	N/A	





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Customer: Etz Hayim Holdings

Product identity: FORM-DE116-GEL.MSL20 Bottom

Client/Metrc ID:

Laboratory ID: 21-006361-0002 Sample Date: 06/08/21 09:46

Summary

Potency:

Analyte per 1g	Result	Limits	Units	Status	CBD-Total per 1g	31.1 mg/1g	
CBC per 1g [†]	0.521		mg/1g			. – – – – – – – – –	
CBD per 1g	31.1		mg/1g		<u> </u>		
CBDV per 1g [†]	0.0684		mg/1g		THC-Total per 1g	1.10 mg/1g	
CBL per 1g [†]	0.0516		mg/1g		(Reported in milligrams per serving)		
CBT per 1g [†]	0.719		mg/1g				
Δ9-THC per 1g	1.10		mg/1g				





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

Customer: Etz Hayim Holdings

16427 NE Airport Way PORTLAND 97230

United States of America (USA)

Product identity: FORM-DE116-GEL.MSL20 Bottom

Client/Metrc ID: .

Sample Date: 06/08/21 09:46 **Laboratory ID:** 21-006361-0002

Evidence of Cooling: No
Temp: 16.9 °C
Serving Size #1: 1 g

Sample Results

Potency per 1g	Method J AOA	.C 2015 V98-6 (mod) Units mg/se Ba	tch: 2105167	Analyze: 6/11/21 3:11:00 AM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 1g [†]	0.521	mg/1g	0.0329	
CBC-A per 1g [†]	< LOQ	mg/1g	0.0329	
CBC-Total per 1g [†]	0.521	mg/1g	0.0618	
CBD per 1g	31.1	mg/1g	0.329	
CBD-A per 1g	< LOQ	mg/1g	0.0329	
CBD-Total per 1g	31.1	mg/1g	0.358	
CBDV per 1g [†]	0.0684	mg/1g	0.0329	
CBDV-A per 1g [†]	< LOQ	mg/1g	0.0329	
CBDV-Total per 1g [†]	0.0684	mg/1g	0.0614	
CBE per 1g [†]	< LOQ	mg/1g	0.329	
CBG per 1g [†]	< LOQ	mg/1g	0.0329	
CBG-A per 1g [†]	< LOQ	mg/1g	0.0329	
CBG-Total per 1g [†]	< LOQ	mg/1g	0.0614	
CBL per 1g [†]	0.0516	mg/1g	0.0329	
CBL-A per 1g [†]	< LOQ	mg/1g	0.329	
CBL-Total per 1g [†]	< LOQ	mg/1g	0.618	
CBN per 1g	< LOQ	mg/1g	0.0329	
CBT per 1g [†]	0.719	mg/1g	0.329	
$\Delta 8 ext{-THCV per 1g}^\dagger$	< LOQ	mg/1g	0.329	
$\Delta 8$ -THC per 1g †	< LOQ	mg/1g	0.0329	
Δ 9-THC per 1g	1.10	mg/1g	0.0329	
exo-THC per 1g [†]	< LOQ	mg/1g	0.329	
THC-A per 1g	< LOQ	mg/1g	0.0329	
THC-Total per 1g	1.10	mg/1g	0.0618	
THCV per 1g [†]	< LOQ	mg/1g	0.0329	
THCV-A per 1g [†]	< LOQ	mg/1g	0.0329	
THCV-Total per 1g [†]	< LOQ	mg/1g	0.0618	
Total Cannabinoids per 1g	32.9	mg/1g		





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/1g = Milligram per 1g % = Percentage of sample % wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Company: ETZHH	INC				-				,	Analy	sis Re	eques	ted				ORELAF	P ID: OR100028																						
Contact: Tyler Ashmore Address: 16427 NE Airp				spuno											assay fii	f operation rst, if resul ble range,	s: potency t falls within																							
Email: testing@lazarusnaturals.com Phone: 360-921-4247 Fax: Processor's License:																																		iform	6		proceed remainir	with all ot ng tests.	her	Project Name:
		OR 59	8 1		vents	ty.			and Mold	Micro: Yeast and Mold Micro: <i>E.Coli</i> and Total Coliform				Use freezer sample prep for all balms.			☐ Send to State - METRC ☑ Email Final Results: ☐ Fax Final Results ☐ Cash/Check/CC/Net 30 Other:																							
Field ID		/Time ected	Pesticides –	Pesticide Multi-Residue	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Coli	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	Comments/Metrc ID																						
ORM-DE116-GEL.MSL20		946			Χ													Laz Nat Discount																						
ORM-DE116-GEL.MSL20		946								Х	Х							Laz Nat Discount																						
ORM-DE116-GEL.MSL20	6/8	946	X									Х																												
1			-												-																									
ollected By:	Relinqu	ished B	By:		D	ate		Time		Receiv	ed by:				Date	Time	lah	Use Only:																						
Standard (5 day)	Tyler	Ashn	nore		(8/8/20	021	4:5	60		M				6-6	2 2	Clier	nt Alias:																						
								Updates		7'					- 0	14 19	Orde	er Number: er Container																						

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2 / 3





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labor	atory	Quality Co	ntrol Results		
J AOAC 2015 V98	8-6				ch ID: 2105167		
Laboratory Contr	ol Sample						
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00961	0.01	%	96.1	85.0 - 115	Acceptable	
CBDV	0.0104	0.01	%	104	85.0 - 115	Acceptable	
CBE	0.00941	0.01	%	94.1	85.0 - 115	Acceptable	
CBDA	0.00986	0.01	%	98.6	85.0 - 115	Acceptable	
CBGA	0.00970	0.01	%	97.0	85.0 - 115	Acceptable	
CBG	0.00989	0.01	%	98.9	85.0 - 115	Acceptable	
CBD	0.00983	0.01	%	98.3	85.0 - 115	Acceptable	
THCV	0.0100	0.01	%	100	85.0 - 115	Acceptable	
d8THCV	0.00954	0.01	%	95.4	85.0 - 115	Acceptable	
THCVA	0.00940	0.01	%	94.0	85.0 - 115	Acceptable	
CBN	0.0102	0.01	%	102	85.0 - 115	Acceptable	
exo-THC	0.00933	0.01	%	93.3	85.0 - 115	Acceptable	
d9THC	0.0103	0.01	%	103	85.0 - 115	Acceptable	
d8THC	0.00967	0.01	%	96.7	85.0 - 115	Acceptable	
CBL	0.00875	0.01	%	87.5	85.0 - 115	Acceptable	
CBC	0.0103	0.01	%	103	85.0 - 115	Acceptable	
THCA	0.00954	0.01	%	95.4	85.0 - 115	Acceptable	
CBCA	0.00945	0.01	%	94.5	85.0 - 115	Acceptable	
CBLA	0.00977	0.01	%	97.7	85.0 - 115	Acceptable	
CBT	0.0103	0.01	%	103	85.0 - 115	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

J AOAC 2015 V	98-6				Bato	:h ID: 2105167		
Sample Duplica	te				Samp	ole ID: 21-00636	0-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	0.0823	0.0837	0.003	%	1.70	< 20	Acceptable	
CBE	0.165	0.163	0.003	%	1.43	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.0579	0.0572	0.003	%	1.36	< 20	Acceptable	
CBD	9.54	8.80	0.003	%	8.08	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	0.111	0.112	0.003	%	0.408	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	0.00916	0.00916	0.003	%	0.0145	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	0.00803	0.00816	0.003	%	1.56	< 20	Acceptable	
CBC	0.148	0.150	0.003	%	1.01	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	0.150	0.146	0.003	%	2.77	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent





Report Number: 21-006361/D002.R000

Report Date: 06/11/2021 ORELAP#: OR100028

Purchase Order:

06/08/21 16:50 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





Report Number: 21-006361/D004.R000

Report Date: 06/17/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

Customer: Etz Hayim Holdings

Product identity: FORM-DE116-GEL.MSL20

Client/Metrc ID:

Laboratory ID: 21-006361-0003 **Sample Date:** 06/08/21 09:46

Summary

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way Portland, OR 97230



503-254-1794

Customer: Etz Hayim Holdings

16427 NE Airport Way PORTLAND 97230

United States of America (USA)

FORM-DE116-GEL.MSL20 Product identity:

Client/Metrc ID:

Sample Date: 06/08/21 09:46 Laboratory ID: 21-006361-0003

Evidence of Cooling: No Temp: 16.9 °C **Report Number:** 21-006361/D004.R000

Report Date: 06/17/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Sample Results

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
E.coli	< LOQ		cfu/g	10	2105179	06/15/21	AOAC 991.14 (Petrifilm)	Χ
Total Coliforms	< LOQ		cfu/g	10	2105179	06/15/21	AOAC 991.14 (Petrifilm)	X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2105180	06/15/21	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2105180	06/15/21	AOAC 2014.05 (RAPID)	X





Report Number: 21-006361/D004.R000

Report Date: 06/17/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

cfu/g = Colony forming units per gram % wt = μ g/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-006361/D004.R000

Report Date: 06/17/2021

ORELAP#:

OR100028

Purchase Order:

06/08/21 16:50 Received:

Company: ETZHH	NC								-	Analy	sis Re	ques	ted					ONEDA	Purchase Order Number:																			
Contact: Tyler Ashmore Address: 16427 NE Airport Way Email: testing@lazarusnaturals.com Phone: 360-921-4247 Fax: Processor's License:		-			-		-		-		-		-		-		-		-		-		compounds											assay fir acceptal	st, if re	sult	: potency falls within hen	Project Number:
		OR 59 compounds	OR 59 compound		olvents	vity			Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	sls			proceed remainin	ezer sample prep for		er prep for	Report Instructions: Send to State - METRC Email Final Results: Fax Final Results Cash/Check/CC/Net 30																				
Field ID		e/Time ected	Pesticides –	Pesticide N	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yea	Micro: E.Co	Heavy Metals	Mycotoxins	Other	Matrix	Weigh	ht !	Serving size for edibles																				
FORM-DE116-GEL.MSL20	6/8	946			X				_			_		_	Middix	Weigi		ioi edibles	Comments/Metrc ID																			
FORM-DE116-GEL.MSL20	6/8	946								Х	Х		_				_		Laz Nat Discount																			
FORM-DE116-GEL.MSL20	6/8	946	Х							^	^	Х					\dashv																					
*												^					+																					
																	+																					
																	\dagger																					
ollected By:	Relinqu	uished E	By:		D	ate	h	ime		Receiv	ed by:				Date	ь	ime	Lab	Use Only:																			
Standard (5 day)	Tyler	Ashn	nore		1	6/8/20	021	4:5	60	N	M				6-8	9		Clien	t Alias:																			
Rush (3-4 day) (1.5x Standard)					4			. Upday (in)		1						· u	16	Prop	er Number: er Container																			
Priority Rush (2 day) (2x Standard) でっするのとり のかり								4		gi e							-	Temp	ole Condition perature: 16-9 ped Via:																			

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2 / 3





Report Number: 21-006361/D004.R000

06/17/2021 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





Report Number: 21-006361/D005.R000

Report Date: 06/17/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

Customer: Etz Hayim Holdings

Product identity: FORM-DE116-GEL.MSL20

Client/Metrc ID:

Laboratory ID: 21-006361-0004 **Sample Date:** 06/08/21 09:46

Summary

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.





Report Number: 21-006361/D005.R000

Report Date: 06/17/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

Customer: Etz Hayim Holdings

16427 NE Airport Way PORTLAND 97230

United States of America (USA)

Product identity: FORM-DE116-GEL.MSL20

Client/Metrc ID: .

Sample Date: 06/08/21 09:46 **Laboratory ID:** 21-006361-0004

Evidence of Cooling: No **Temp:** 16.9 °C

Sample Results

Pesticides	Method	AOAC	2007.01 & EN	I 15662 (mod)	Units mg/kg Batch	2105321	Analy	ze 06/16/21 02:26 PM
Analyte	Result	Limits	LOQ Status	Notes	Analyte	Result	Limits	S LOQ Status Notes
Abamectin	< LOQ	0.50	0.250 pass		Acephate	< LOQ	0.40	0.250 pass
Acequinocyl	< LOQ	2.0	1.00 pass		Acetamiprid	< LOQ	0.20	0.100 pass
Aldicarb	< LOQ	0.40	0.200 pass		Azoxystrobin	< LOQ	0.20	0.100 pass
Bifenazate	< LOQ	0.20	0.100 pass		Bifenthrin	< LOQ	0.20	0.100 pass
Boscalid	< LOQ	0.40	0.200 pass		Carbaryl	< LOQ	0.20	0.100 pass
Carbofuran	< LOQ	0.20	0.100 pass		Chlorantraniliprole	< LOQ	0.20	0.100 pass
Chlorfenapyr	< LOQ	1.0	0.500 pass		Chlorpyrifos	< LOQ	0.20	0.100 pass
Clofentezine	< LOQ	0.20	0.100 pass		Cyfluthrin	< LOQ	1.0	0.500 pass
Cypermethrin	< LOQ	1.0	0.500 pass		Daminozide	< LOQ	1.0	0.500 pass
Diazinon	< LOQ	0.20	0.100 pass		Dichlorvos	< LOQ	1.0	0.500 pass
Dimethoate	< LOQ	0.20	0.100 pass		Ethoprophos	< LOQ	0.20	0.100 pass
Etofenprox	< LOQ	0.40	0.200 pass		Etoxazole	< LOQ	0.20	0.100 pass
Fenoxycarb	< LOQ	0.20	0.100 pass		Fenpyroximate	< LOQ	0.40	0.200 pass
Fipronil	< LOQ	0.40	0.200 pass		Flonicamid	< LOQ	1.0	0.400 pass
Fludioxonil	< LOQ	0.40	0.200 pass		Hexythiazox	< LOQ	1.0	0.400 pass
Imazalil	< LOQ	0.20	0.100 pass		Imidacloprid	< LOQ	0.40	0.200 pass
Kresoxim-methyl	< LOQ	0.40	0.200 pass		Malathion	< LOQ	0.20	0.100 pass
Metalaxyl	< LOQ	0.20	0.100 pass		Methiocarb	< LOQ	0.20	0.100 pass
Methomyl	< LOQ	0.40	0.200 pass		MGK-264	< LOQ	0.20	0.100 pass
Myclobutanil	< LOQ	0.20	0.100 pass		Naled	< LOQ	0.50	0.250 pass
Oxamyl	< LOQ	1.0	0.500 pass		Paclobutrazole	< LOQ	0.40	0.200 pass
Parathion-Methyl	< LOQ	0.20	0.200 pass		Permethrin	< LOQ	0.20	0.100 pass
Phosmet	< LOQ	0.20	0.100 pass		Piperonyl butoxide	< LOQ	2.0	1.00 pass
Prallethrin	< LOQ	0.20	0.200 pass		Propiconazole	< LOQ	0.40	0.200 pass
Propoxur	< LOQ	0.20	0.100 pass		Pyrethrin I (total)	< LOQ	1.0	0.500 pass
Pyridaben	< LOQ	0.20	0.100 pass		Spinosad	< LOQ	0.20	0.100 pass
Spiromesifen	< LOQ	0.20	0.100 pass		Spirotetramat	< LOQ	0.20	0.100 pass
Spiroxamine	< LOQ	0.40	0.200 pass		Tebuconazole	< LOQ	0.40	0.200 pass
Thiacloprid	< LOQ	0.20	0.100 pass		Thiamethoxam	< LOQ	0.20	0.100 pass
Trifloxystrobin	< LOQ	0.20	0.100 pass					





Report Number: 21-006361/D005.R000

06/17/2021 Report Date: ORELAP#: OR100028

Purchase Order:

06/08/21 16:50 Received:

Metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Arsenic	< LOQ		mg/kg	0.0469	2105347	06/16/21	AOAC 2013.06 (mod.)	X
Cadmium	< LOQ		mg/kg	0.0469	2105347	06/16/21	AOAC 2013.06 (mod.)	X
Lead	< LOQ		mg/kg	0.0469	2105347	06/16/21	AOAC 2013.06 (mod.)	X
Mercury	< LOQ		mg/kg	0.0235	2105347	06/16/21	AOAC 2013.06 (mod.)	X





Report Number: 21-006361/D005.R000

Report Date: 06/17/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/08/21 16:50

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

mg/kg = Milligram per kilogram = parts per million (ppm) % wt = μ g/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-006361/D005.R000

Report Date: 06/17/2021

ORELAP#:

OR100028

Purchase Order:

Received: 06/08/21 16:50

	NC								,	Analy	sis Re	ques	ted				OHEDW	D: OR100028								
Contact: Tyler Ashmore Address: 16427 NE Airport Way Email: testing@lazarusnaturals.com phone: 360-921-4247 Processor's License:												379 compounds											assay fii accepta	rst, if result ble range,	t falls within then	Purchase Order Number: Project Number: Project Name:
		- OR 59 compounds			vents	ity			Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	sls			proceed with all other remaining tests. Use freezer sample prep for all balms.			Report Instructions: Send to State - METRC Email Final Results: Fax Final Results Cash/Check/CC/Net 30									
Field ID		/Time	Pesticides	Pesticide Multi-Residue	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeas	Micro: E.Co	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	Comments/Metrc ID								
ORM-DE116-GEL.MSL20		946			Χ													Laz Nat Discount								
ORM-DE116-GEL.MSL20		946								Х	Х							Laz Nat Discount								
ORM-DE116-GEL.MSL20	6/8	946	X									Х														
-																										
llected By:	Relinqu	ished B	By:		0	ate	-	Time		Receiv	ed by:				Date	Time	Lab	Use Only:								
Standard (5 day)	Tyler	Ashn	nore		6	5/8/20	021	4:5	$\hat{\mathcal{L}}$	V	m				6-6	2 -	Clien	t Alias:								
Rush (3-4 day) (1.5x Standard)										1	100				8-8	5-4 16	and the second	er Number: er Container								

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2 / 3





Report Number: 21-006361/D005.R000

Report Date: 06/17/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Revision: 1.00 Control: CFL-C21 Revised: 08/12/2019 Effective: 08/15/2019

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662 Method Blank	3000			: mg/Kg	Laboratory Con		Ва	tch ID: 210532	1
Analyte	Blank Result	Blank	Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Acephate	0.000		0.250	I	1.105	1.000	110.5	65.5 - 122	I
Acequinocyl	0.000	<	1.000	1	4.508	4.000	112.7	63.1 - 117	
Acetamiprid	0.000		0.100		0.446	0.400	111.5	69.1 - 128	
Aldicarb	0.000		0.200		0.879	0.800	109.9	66.8 - 124	
Abamectin	0.000		0.250		1.073	1.000	107.3	70.4 - 131	
Azoxystrobin	0.000		0.100		0.443	0.400	110.8	67.9 - 126	
Bifenazate	0.000		0.100		0.444	0.400	111.1	69.8 - 130	
Bifenthrin	0.001		0.100	+	0.418	0.400	104.6	67.9 - 126	
Boscalid	0.000		0.200		0.955	0.800	119.3	69.6 - 129	
Carbaryl	0.000		0.100		0.451	0.400	112.6	69.1 - 128	l
Carbofuran	0.000		0.100		0.441	0.400	110.2	67.8 - 126	
Chlorantraniliprol	0.000		0.100		0.342	0.400	85.6	70.5 - 131	l
Chlorfenapyr	0.000		0.500		2.121	2.000	106.0	69.9 - 130	
Chlorpyrifos	0.000		0.100		0.412	0.400	102.9	67.6 - 126	
Clofentezine	0.000	<	0.100		0.301	0.400	75.4	35.5 - 65.9	Q1
Cyfluthrin	0.000		0.500		2.181	2.000	109.0	70.8 - 131	
Cypermethrin	0.016		0.500		2.150	2.000	107.5	70.6 - 131	
Daminozide	0.017		0.500		0.847	2.000	42.4	24.7 - 45.9	
Diazinon	0.000		0.100		0.468	0.400	117.0	69.0 - 128	
Dichlorvos	0.000		0.500		2.438	2.000	121.9	76.0 - 141	
Dimethoat	0.000		0.100		0.447	0.400	111.7	67.8 - 126	
Ethoprophos	0.000		0.100		0.449	0.400	112.3	69.1 - 128	
Etofenprox	0.000		0.200		0.857	0.800	107.2	69.1 - 128	
Etoxazol	0.000		0.100		0.480	0.400	119.9	75.3 - 140	
Fenoxycarb	0.000		0.100		0.455	0.400	113.7	68.7 - 128	İ
Fenpyroximat	0.000		0.200		0.829	0.800	103.6	65.9 - 122	<u> </u>
Fipronil	0.000		0.200		0.883	0.800	110.4	67.7 - 126	
Flonicamid	0.000		0.250		1.127	1.000	112.7	70.2 - 130	-
Fludioxonil	0.000		0.200		0.852	0.800	106.5	68.8 - 128	
Hexythiazox	0.000		0.250		1.095	1.000	109.5	66.4 - 123	
Imazalil	0.000		0.100		0.459	0.400	114.7	69.0 - 128	<u> </u>
Imidacloprid	0.000		0.200		0.912	0.800	114.0	69.3 - 129	
Kresoxim-Methyl	0.000		0.200		0.897	0.800	112.1	69.7 - 129	
Malathion	0.000		0.100		0.447	0.400	111.8	68.7 - 128	
Metalaxyl	0.000		0.100		0.449	0.400	112.3	67.9 - 126	
Methiocarb	0.000		0.100		0.435	0.400	108.8	69.8 - 130	
Methomyl	0.000		0.200		0.897	0.800	112.1	68.8 - 128	
MGK 264	0.000		0.100		0.444	0.400	111.0	68.4 - 127	
Myclobutanil	0.000		0.100		0.455	0.400	113.8	68.1 - 127	
Naled	0.000		0.250		0.632	1.000	63.2	31.2 - 57.9	Q1
Oxamvl	0.000		0.500		2.730	2.000	136.5	68.5 - 127	Q1
Paclobutrazol	0.000		0.200		0.919	0.800	114.9	68.2 - 127	
Parathion Methyl	0.000		0.200		1.104	0.800	138.0	67.9 - 126	Q1
Permethrin	0.000		0.100		0.427	0.400	106.9	67.7 - 126	
Phosmet	0.000		0.100		0.457	0.400	114.3	68.9 - 128	
Piperonyl butoxide	0.000		0.500		2.163	2.000	108.1	68.6 - 127	
Prallethrin	0.000		0.100		0.424	0.400	106.0	68.6 - 127	
Propiconazole	0.000		0.200		0.902	0.800	112.8	69.1 - 128	
Propoxur	0.000		0.100		0.455	0.400	113.6	67.3 - 125	
Pyrethrins	0.000		0.100		0.514	0.413	124.4	68.2 - 127	
Pyridaben	0.000		0.100		0.462	0.400	115.4	69.1 - 128	
Spinosad	0.000		0.100		0.433	0.388	111.7	71.4 - 133	
Spiromesifen	0.000		0.100		0.427	0.400	106.8	69.6 - 129	
Spirotetramat	0.000		0.100		0.437	0.400	109.3	68.1 - 126	
Spiroxamine	0.000		0.200		0.882	0.800	110.3	68.1 - 127	
Tebuconazol	0.000		0.200		0.895	0.800	111.9	68.3 - 127	
Thiadoprid	0.000		0.100		0.443	0.400	110.8	68.6 - 127	
Thiamethoxam	0.000		0.100	_	0.465	0.400	116.2	69.0 - 128	-
Trifloxystrobin	0.000		0.100	1	0.415	0.400	103.8	68.2 - 127	
oxystrobii1	0.000	-	0.100		0.413	0.400	103.0	1 30.2 - 12/	1





Report Number: 21-006361/D005.R000

Report Date: 06/17/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Revision: 1.00 Control: CFL-C21 Revised: 08/12/2019 Effective: 08/15/2019

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662 Matrix Spike/Matrix Spike	e Dunlicate Reco	eries	Units:				Sample ID:	21-006450-0	ch ID: 210532	<i>a</i>
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit		MSD % Rec	Limits	Notes
Acephate	0.000	0.966	0.980	1.000	1.5%	< 30	96.6%	98.0%	50 - 150	IVOICS
Acequinocyl	0.000	4.905	4.034	4.000	19.5%	< 30	122.6%	100.9%	50 - 150	
Acetamiprid	0.000	0.562	0.545	0.400	2.9%	< 30	140.4%	136.4%	50 - 150	
Aldicarb	0.000	1.004	0.999	0.800	0.4%	< 30	125.4%	124.9%	50 - 150	
Abamectin	0.000	0.906	1.008	1.000	10.7%	< 30	90.6%	100.8%	50 - 150	
Azoxystrobin	0.000	0.476	0.470	0.400	1.2%	< 30	119.0%	117.6%	50 - 150	
Bifenazate	0.000	0.504	0.503	0.400	0.2%	< 30	126.0%	125.8%	50 - 150	-
Bifenthrin	0.001	0.442	0.429	0.400	2.9%	< 30	110.3%	107.1%	50 - 150	
Boscalid	0.000	0.996	0.947	0.800	5.0%	< 30	124.5%	118.4%	50 - 150	
Carbaryl	0.000	0.522	0.540	0.400	3.5%	< 30	130.4%	135.1%	50 - 150	
Carbofuran	0.000	0.522	0.509	0.400	2.2%	< 30	130.2%	127.4%	50 - 150	
Chlorantraniliprol	0.000	0.360	0.384	0.400	6.4%	< 30	90.0%	95.9%	50 - 150	
Chlorfenapyr	0.000	2.542	2.310	2.000	9.6%	< 30	127.1%	115.5%	50 - 150	-
Chlorpyrifos	0.000	0.477	0.473	0.400	0.9%	< 30	119.3%	113.3%	50 - 150	
	0.000	0.477	0.473	0.400	1.7%	< 30	19.3%	18.8%	50 - 150	Q
Clofentezine										ų
Cyfluthrin	0.000	2.562	2.509 2.219	2.000	2.1% 1.2%	< 30	128.1%	125.4%	30 - 150 50 - 150	
Cypermethrin	0.000	2.193					109.7%	110.9%		
Daminozide	0.000	0.305	0.294	2.000	3.4%	< 30	15.2%	14.7%	30 - 150	Q
Diazinon	0.000	0.498	0.486	0.400	2.3%	< 30	124.4%	121.5%	50 - 150	
Dichlorvos	0.000	2.397	2.505	2.000	4.4%	< 30	119.8%	125.3%	50 - 150	
Dimethoat	0.000	0.520	0.513	0.400	1.4%	< 30	130.1%	128.3%	50 - 150	
Ethoprophos	0.000	0.469	0.474	0.400	1.0%	< 30	117.2%	118.5%	50 - 150	
Etofenprox	0.000	0.894	0.903	0.800	1.0%	< 30	111.8%	112.9%	50 - 150	
Etoxazol	0.000	0.573	0.541	0.400	5.7%	< 30	143.3%	135.3%	50 - 150	
enoxycarb	0.000	0.524	0.511	0.400	2.5%	< 30	130.9%	127.7%	50 - 150	
Fenpyroximat	0.000	0.780	0.786	0.800	0.7%	< 30	97.6%	98.2%	50 - 150	
Fipronil	0.000	1.016	1.019	0.800	0.2%	< 30	127.1%	127.4%	50 - 150	
Flonicamid	0.000	1.134	1.108	1.000	2.3%	< 30	113.4%	110.8%	50 - 150	
Fludioxonil	0.000	0.854	0.825	0.800	3.5%	< 30	106.8%	103.1%	50 - 150	
Hexythiazox	0.000	2.216	2.246	1.000	1.3%	< 30	221.6%	224.6%	50 - 150	Q1
lmazalil	0.000	0.644	0.638	0.400	0.9%	< 30	161.0%	159.5%	50 - 150	Q1
lmidacloprid	0.000	0.681	0.671	0.800	1.5%	< 30	85.2%	83.9%	50 - 150	
Kresoxim-Methyl	0.000	1.066	1.034	0.800	3.0%	< 30	133.2%	129.3%	50 - 150	
Malathion	0.000	0.519	0.514	0.400	0.9%	< 30	129.7%	128.5%	50 - 150	
Metalaxyl	0.000	0.541	0.537	0.400	0.8%	< 30	135.3%	134.2%	50 - 150	
Methiocarb	0.000	0.477	0.482	0.400	1.0%	< 30	119.3%	120.5%	50 - 150	
Methomyl	0.000	0.912	0.917	0.800	0.6%	< 30	113.9%	114.6%	50 - 150	
MGK 264	0.000	0.495	0.493	0.400	0.4%	< 30	123.8%	123.4%	50 - 150	
Myclobutanil	0.000	0.493	0.500	0.400	1.4%	< 30	123.1%	124.9%	50 - 150	
Naled	0.000	1.160	1.185	1.000	2.1%	< 30	116.0%	118.5%	50 - 150	
Oxamyl	0.000	2.750	2.745	2.000	0.2%	< 30	137.5%	137.2%	50 - 150	
Paclobutrazol	0.000	1.154	1.179	0.800	2.1%	< 30	144.3%	147.4%	50 - 150	
Parathion Methyl	0.000	1.122	1.157	0.800	3.1%	< 30	140.2%	144.7%	30 - 150	
Permethrin	0.000	0.410	0.414	0.400	0.9%	< 30	102.5%	103.4%	50 - 150	
Phosmet	0.000	0.537	0.536	0.400	0.3%	< 30	134.4%	133.9%	50 - 150	
Piperonyl butoxide	0.000	2.280	2.292	2.000	0.5%	< 30	114.0%	114.6%	50 - 150	
Prallethrin	0.000	0.570	0.562	0.400	1.4%	< 30	142.6%	140.6%	50 - 150	
Propiconazole	0.000	0.968	0.966	0.800	0.3%	< 30	121.0%	120.7%	50 - 150	
Propoxur	0.000	0.523	0.517	0.400	1.3%	< 30	130.8%	129.1%	50 - 150	
Pyrethrins	0.000	0.498	0.504	0.413	1.3%	< 30	120.5%	122.0%	50 - 150	
Pyridaben	0.000	0.638	0.638	0.400	0.0%	< 30	159.5%	159.5%	50 - 150	Q1
Spinosad	0.000	0.437	0.440	0.388	0.6%	< 30	112.6%	113.3%	50 - 150	
Spiromesifen	0.000	0.731	0.725	0.400	0.9%	< 30	182.7%	181.1%	50 - 150	Q1
Spirotetramat	0.000	0.375	0.385	0.400	2.6%	< 30	93.8%	96.3%	50 - 150	
Spiroxamine	0.000	1.141	1.143	0.800	0.2%	< 30	142.6%	142.8%	50 - 150	i -
Tebuconazol	0.000	0.994	0.990	0.800	0.4%	< 30	124.3%	123.8%	50 - 150	
Thiadoprid	0.000	0.540	0.530	0.400	1.9%	< 30	135.1%	132.5%	50 - 150	
Thiamethoxam	0.000	0.506	0.542	0.400	7.0%	< 30	126.4%	135.5%	50 - 150	
Trifloxystrobin	0.006	0.425	0.433	0.400	1.9%	< 30	104.5%	106.6%	50 - 150	-





Report Number: 21-006361/D005.R000

06/17/2021 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 06/08/21 16:50

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.